HP Color LaserJet Pro MFP M477 series



Stunning speed. Solid security.

Unmatched print, scan, copy, and fax performance plus robust, comprehensive security for how you work. This colour MFP finishes key tasks faster and guards against threats.¹ Original HP Toner cartridges with JetIntelligence produce more pages.²





Speed through more tasks. Keep data protected.

- Scan digital files directly to email, USB, network folders, and the cloud with preloaded business apps.³
- Grab pages and go without waiting around. This MFP wakes up and prints faster than the competition.¹
- Breeze through multipage documents with two-sided printing that's the fastest in its class of devices.¹
- Control access to print jobs and help keep printing safe with security features like LDAP authentication, HP JetAdvantage Private Print or optional Job Storage with PIN printing.

Easy management. Efficient printing.

- Easily manage print jobs directly at the MFP just tap and swipe the 10.9 cm touchscreen.⁴
- Easily print Microsoft[®] Word and PowerPoint[®] documents now directly from your USB drive.⁵
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.⁶
- Print using less energy than competitors enhanced by Original HP Toner cartridges with JetIntelligence.⁷

More. Pages, Performance, and Protection.

- Get the most prints for your money with Original HP High Yield Colour Toner cartridges with JetIntelligence.²
- Count on consistent professional quality at high speeds with HP ColorSphere 3 toner.
- Help ensure you're getting the authentic HP quality you paid for with innovative anti-fraud technology.
- Print right away with preinstalled toner cartridges. Replace them with optional high-yield cartridges.

Stay connected with easy mobile printing options

- Easily print from a variety of smartphones and tablets generally no setup or apps required.[®]
- Count on wireless direct printing in the office from mobile devices without accessing the company network.⁹
- Help workers print with just a touch of their NFC-enabled mobile device to the printer no network needed.¹⁰
- Easily access, print, and share resources with Ethernet and wireless networking.11

Highlights

- 27 ppm black/ 27 ppm color
- First page out in colour from sleep/Auto-Off in 9.9 sec
- Leading duplex print speed of 24 ipm
- 50-sheet ADF with single pass, two-sided scanning; scan speed up to 47 ipm
- HP Auto-On/Auto-Off for low energy consumption
- Large 10.9 cm colour touchscreen with gesturing and apps
- Scan-to-email, -folder, -cloud, -USB
- LDAP, Private Printing, PIN Printing
- HP ePrint, AirPrint, Google Cloud Print, Wi-Fi Direct/NFC, Mopria-certified, Mobile Apps

Product walkaround

HP Color LaserJet Pro MFP M477 series shown

- 1. 50-sheet automatic document feeder (ADF) 2. Flatbed scanner: up to 216 x 356 mm paper
- 3. Intuitive 10.9 cm colour touchscreen (tilts up)
- 4. Easy-access USB port 5. 150-sheet output bin
- 6. Front door release button (access to HP JetIntelligence Toner cartridges)
- 7. 50-sheet multipurpose tray 1
- 8. 250-sheet input tray 2
- 9. Power on/off button
- 10. Rear door (provides access to print path)
- 11. Telephone "line out" port 12. Fax "line in" port
- 13. USB interface port for job storage and PIN printing
- 14. Hi-Speed USB 2.0 printing port 15. Ethernet network port



Series at a glance







Model	HP Color LaserJet Pro MFP M477fnw	HP Color LaserJet Pro MFP M477fdn	HP Color LaserJet Pro MFP M477fdw
Product number	CF377A	CF378A	CF379A
Functions	Print, copy, scan, fax, and email	Print, copy, scan, fax, and email	Print, copy, scan, fax, and email
Print speed (black and color)	27 ррт	27 ppm; 24 ipm duplex	27 ppm; 24 ipm duplex
Automatic duplex printing	Not available	Yes	Yes
Single-pass two-sided scanning 50-sheet ADF	Yes	Yes	Yes
Standard paper input	50-sheet multipurpose tray 1; 250-sheet tray 2	50-sheet multipurpose tray 1; 250-sheet tray 2	50-sheet multipurpose tray 1; 250-sheet tray 2
Optional paper input	550-sheet tray 3	550-sheet tray 3	550-sheet tray 3
Networking	Built-in 10/100/1000 Ethernet, wireless 802.11b/g/n	Built-in 10/100/1000 Ethernet	Built-in 10/100/1000 Ethernet, wireless 802.11b/g/n
Mobile printing capability	Wireless direct printing, NFC touch-to-print, HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0	HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0	Wireless direct printing, NFC touch-to-print, HP ePrint, Apple AirPrint, Mopria-certified, Google Cloud Print 2.0

Accessories, Supplies and Support

CF410X HP 410X High Yield Black Original LaserJet Toner Cartridge 6,500 pages				
CF411A HP 410A Cyan Original LaserJet Toner Cartridge 2,300 pages				
CF411X HP 410X High Yield Cyan Original LaserJet Toner Cartridge 5,000 pages				
CF412A HP 410A Yellow Original LaserJet Toner Cartridge 2,300 pages				
CF412X HP 410X High Yield Yellow Original Laser Jet Toner Cartridge 5,000 pages				
CF413A HP 410A Magenta Original LaserJet Toner Cartridge 2,300 pages				
CF413X HP 410X High Yield Magenta Original LaserJet Toner Cartridge 5,000 pages				
CF404A HP LaserJet 550-sheet Feeder Tray				
U8TPOE HP 3 year Next business day Color LaserJet M477 MFP Hardware Support U8TP7PE HP 1 year Post Warranty Next business day Color LaserJet M477 MFP Hardware Support				
-				

Technical specifications

Model	HP Color LaserJet Pro MFP M477fnw	HP Color LaserJet Pro MFP M477fdn	HP Color LaserJet Pro MFP M477fdw		
Product number	CF377A	CF378A	CF379A		
Functions	Print, copy, scan, fax, email	Print, copy, scan, fax, email	Print, copy, scan, fax, email		
Print					
Print speed	Up to 27 ppm black (A4); Up to 27 ppm colour (A4)	Up to 27 ppm black (A4); Up to 27 ppm colour (A4) Up to 24 ipm black duplex (A4); colour duplex (A4)	Up to 27 ppm black (A4); Up to 27 ppm colour (A4) Up to 24 ipm black duplex (A4); colour duplex (A4)		
First page out from ready ¹	As fast as 9 sec black (A4, ready); As fast as 9.9 sec colour (A4, ready)				
First page out from sleep ¹	As fast as 11.4 sec				
Print resolution	600 x 600 dpi, up to 38400 x 600 enhanced dpi black; 600 x 600 dpi, up to 38400 x 600 enhanced dpi colour; HP ImageREt 3600, PANTONE® calibrated				
Print technology	Laser				
Print Area	Print margins: Top: 4.23 mm; Bottom: 4.23 mm; Left: 4.23 mm; Right: 4.23 mm; Maximum print area: 211.8 x 351.8 mm				
Print languages	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PCLm, PDF, URF, native Office				
Printer Smart Software Features	N-up printing; Collation; HP ePrint; Apple AirPrint™; Mopria certified; Google Cloud Print; Wireless Direct Printing; HP Auto-On/Auto-Off Technology; Intuitive 10.9 cm (4.3") touchscreen control panel; Print from Cloud using business apps on the control panel; HP JetAdvantage Prinate Print; Optional Job Storage with PIN printing (requires a purchase of separate USB flash drive); Print from USB	Auto-duplex printing; N-up printing; Collation; HP ePrint; Apple AirPrint™; Mopria certified; Google Cloud Print; HP Auto-On/Auto-Off Technology; Intuitive 10.9 cm (4.3') touchscreen control panel; Print from Cloud using business apps on the control panel; HP JetAdvantage Private Print; Optional Job Storage with PIN printing (requires a purchase of separate USB flash drive); Print from USB	Auto-duplex printing; N-up printing; Collation; HP ePrin Apple AirPrint™; Mopria certified; Google Cloud Print; Wireless Direct Printing; HP Auto-On/Auto-Off Technology; Intuitive 10.9 cm (4.3") touchscreen contro panel; Print from Cloud using business apps on the control panel; HP JetAdvantage Private Print; Optional Job Storage with PIN printing (requires a purchase of separate USB flash drive); Print from USB		
Monthly duty cycle	Up to 50,000 pages (A4); Recommended monthly page volume: 750 to 4,000 (print); 750 to 4,000 (scan)				
Duplex printing	Manual (driver support provided)	Automatic (standard)	Automatic (standard)		
Fonts and typefaces	84 scalable TrueType fonts				
SureSupply supported	Yes				
Processor speed	1200 MHz				
Connectivity	12001112				
Standard	Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10/100/1000 Base-TX network port; Wi-Fi 802.11b/g/n; Host USB	Hi-Speed USB 2.0 port; Built-in Gigabit Ethernet 10/100/1000 Base-TX network port; Easy-access USB	Hi-Speed USB 2.0 port; Built-in Fast Ethernet 10/100/1000 Base-TX network port; Wi-Fi 802.11b/g/r Host USB		
Wireless	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing	None	Built-in Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wireless Direct Printing; NFC touch-to-print		
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv1, SNMPv2, SNMPv3, HTTP				
Memory	Standard: 256 MB NAND Flash, 256 MB DRAM; Maximum:	256 MB NAND Flash, 256 MB DRAM			
Copy Copier settings		nise; Paper; Multi-page copy; Collation; Tray Select; Two-sided opies: Copy resolution: 600 x 600 dpi Reduce/Enlarge: 25 to			
Copy speed	Up to 27 cpm black (A4), Up to 27 cpm colour (A4)				
Scan Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, fax or file buttons; HP Scan software and user application via TWAIN or WIA; Twain version: 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi				
Scan file format	Flatbed, ADF				
Scan speed ²¹	Up to 26 ppm/47 ipm (black & white), up to 21 ppm/30 ipm (colour)	Up to 26 ppm/47 ipm (black & white), up to 21 ppm/30 ipm (colour)	Up to 26 ppm/47 ipm (black & white), up to 21 ppm/30 ipm (colour)		
Scannable area	Flatbed: Minimum media size: 48.8 x 48.8 mm; Maximum media size: 216 x 297 mm Scannable area (ADF): Minimum media size: 102 x 152 mm; Maximum media size: 216 x 356 mm				
Scanner Advanced Features	Scan-to-email; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP email lookup; Single-pass 2-sided scanning ADF	Scan-to-email; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP email lookup; Single-pass 2-sided scanning ADF	Scan-to-email; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP email lookup; Single-pas 2-sided scanning ADF		
Recommended monthly scan volume	750 to 4,000	750 to 4,000	750 to 4,000		
Bit depth/ Grey scale levels	30-bit / 256				
Digital sending	Standard: Scan to email; Scan to folder; Scan to Stand USB drive USB d		to email; Scan to folder; Scan to		

Model	HP Color LaserJet Pro MFP M477fnw	HP Color LaserJet Pro MFP M477fdn	HP Color LaserJet Pro MFP M477fdw		
Product number	CF377A	CF378A	CF379A		
Fax Fax	Yes, 33.6 kbps	Yes, 33.6 kbps	Yes, 33.6 kbps		
Telecom compliance		301 489-17 v2.2.1: EN 62311:2008: IEC 62311:2007: R&TT			
Fax specifications		203 x 96 dpi; Fine: 203 x 192 dpi; Superfine: 300 x 300 dpi; Q			
Fax smart software features		redialing; Delayed sending; Fax forwarding; TAM interface; Po	lling; Junk barrier; Distinctive ring detection; Cover page		
	wizard; Block fax; Billing codes; Save and load; Poll receive; Fax activity reports; Dial prefix setting; Print fax log				
Paper handling Media types	Dapar (hand brachura calaurad alarsu latterhand photo), plain, preprinted, prepunched, recycled, rough), postcards, l	abole apprologies		
Paper size	Custom metric: Tray 1: 76 x 127 to 216 x 356 mm; Tray 2		abers, erweropes		
	Supported metric: Tray 1, Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS single, JIS double), envelopes (DL, C5, B5); Optional Tray 3: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, postcards (JIS), 10				
Paper handling	Standard input: 50-sheet multipurpose tray, 250-sheet in	put tray, 50-sheet Automatic Document Feeder (ADF)			
	Standard output: 150-sheet output bin Optional/Input: Optional 550-sheet tray ADF: Standard, 50 sheets				
Input capacity	Tray 1: Sheets: 50; Envelopes: 5				
	Tray 2: Sheets: 250; Envelopes: 10 Tray 3: Sheets: 550				
	Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets				
Output capacity	Standard: Up to 150 sheets, Up to 20 envelopes Transpar	ancies			
	Maximum: Up to 150 sheets Envelopees: Up to 20 envelopes				
Paper weight	Tray 1: 60 to 176 g/m ² (up to 200 g/m ² with postcards and HP Color Laser Glossy Photo Papers); Tray 2: 60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 200 g/m ² HP Color Laser Glossy Photo Papers); Optional Tray 3: 60 to 163 g/m ² (up to 176 g/m ² with postcards, up to 150 g/m ² glossy media); Automatic duplexer: 60 to 163 g/m ² ADF: 60 to 90 g/m ²				
Compatible operating systems	Windows OS compatible with In-Box Driver: Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions, Windows Vista all 32-bit editions (Horme Basic, Premium, Professional, etc.); Windows OS compatible with Universal Print Driver (from http://www.HP.com): Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 05 compatible with Universal Print Driver (from http://www.HP.com): Windows 10 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 7 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for tablets), W				
Compatible network operating systems	Windows OS compatible with In-Box Driver: Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or product-specific drivers from http://www.HP.com: Windows Server 2012/2012 R2 64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise (> Cluster & Terminal Services); Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32 & 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2); Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2 and 3); Citrix Ven2Pesktop 5.0, Clus Server 2008/2008 R2); Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 7.5, Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 7.5, Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 7.5, Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 7.5, Citrix VenApp 5.0 (plus Server 2008/2008 R2); Citrix VenApp 5.0 (plus Server 2012/2012 R2); Citrix VenApp 7.5, Novell Servers (www.novell.com/iprint); Novell Print Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2012/2012 R2 & 64-bit) recommend v5.86+, Windows 8.1 recommend v5.86+, Windows Vista (32 & 64-bit) recommend v5.82+				
Mobile printing capability	HP ePrint; Apple AirPrint™; Wireless Direct Printing; Mopria-certified; Google Cloud Print 2.0; Mobile apps	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0; Mobile apps	HP ePrint; Apple AirPrint™; Wireless Direct Printing; NFC touch-to-print; Mopria-certified; Google Cloud Print 2.0; Mobile apps		
Minimum system requirements	Windows: Windows Vista (32 & 64-bit) or newer, 233 MHz processer or higher, 512 MB RAM, 400 MB available hard disk space, CD-ROM or Internet, USB or network connection Mac: OS X 10.7 or newer, Internet, USB or network connection, 1 GB available hard disk space				
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Device Toolbox, HP Fax Print Driver, HP Fax Setup Wizar HP Product Improvement Study, HP Scan App and Drivers, Scan to Email Setup Wizard, Scan to Folder Setup Wizard, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals (software varies by OS: WinXP/Vista: driver only, Win 7: full solution, Win 8 and newer: drivers only with more apps available in MS Ap store): For Mac OS: Welcome Screen (directs users to HP.com or OS App Source for Laser/et software)				
Printer management	Printer Administrator Resource Kit (Driver Configuration U HP Imaging and Printing Security Center; HP Utility (Mac); I	tility, Driver Deployment Utility, Managed Printing Administral HP Device Toolbox (Win 7)	or); HP Web JetAdmin Software; HP Proxy Agent Software;		
Control panel	10.9 cm (4.3") intuitive colour touchscreen; 3 buttons (Hor	me, Help, Back)			
Dimensions / Weights Printer dimensions	Minimum: 416 x 461 x 400 mm	Minimum: 416 x 472 x 400 mm	Minimum: 416 x 472 x 400 mm		
	Maximum: 426 x 641 x 414 mm	Maximum: 426 x 652 x 414 mm	Maximum: 426 x 652 x 414 mm		
Package dimensions (W x D x H)	597 x 497 x 490 mm	597 x 497 x 490 mm	597 x 497 x 490 mm		
Printer Weight ²	21.8 kg	23.2 kg	23.2 kg		
Package weight	26.2 kg	26.7 kg	26.8 kg		
Operating environment	Temperature: 15 to 30°C, Humidity: 20 to 70% RH (non-co				
Storage	Temperature: -20 to 40°C, Humidity: 10 to 95% RH (non-c	condensing)			
Acoustics ³	Acoustic power emissions: 6.3 B(A); Acoustic pressure emissions: 49 dB(A)				
Power ⁴	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 5		with) 0.05 watte (off)		
Energy cavings feature		watts (sleep), 0.6 watts (Auto-On/Auto-Off, via USB connect	vity), U.US Watts (OTT)		
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology				
Certifications	CISPR 22:2008 (Class B); EN 55022:2010 (Class B); EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; Other EMC approvals as required by individual countries				
Warranty	One-year limited hardware warranty				
What's in the box	HP Color Laser Jet Pro MFP M477fnw; 4 preinstalled HP Laser Jet Toner cartridges (Black: 2,300 pages, Introductory Cyan, Magenta, Yellow: 1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster); Software drivers and documentation on CD-ROM; Power cord; USB cable	HP Color LaserJet Pro MFP M477fdn; 4 preinstalled HP LaserJet Toner cartridges (Black: 2,300 pages, Introductory Cyan, Magenta, Yellow: 1,200 pages each cartridge): In-box documentation (Getting Started Guide, Install Poster); Software drivers and documentation on CD-ROM; Power cord; Built-in duplexer; Built-in fax	HP Color LaserJet Pro MFP M477fdw; 4 preinstalled HP LaserJet Toner cartridges (Black: 2,300 pages, Introductory Cyan, Magenta, Yellow: 1,200 pages each cartridge); In-box documentation (Getting Started Guide, Install Poster); Software drivers and documentation on CD-ROM; Power cord; USB cable; Built-in duplexer; Built-in fax		
Replacement cartridges ⁵	HP 410A Black LaserJet Toner Cartridge (2,300 pages) CF410A; HP 410X Black LaserJet Toner Cartridge (6,500 pages) CF410X; HP 410A Cyan LaserJet Toner Cartridge (2,300 pages) CF411A; HP 410X Cyan LaserJet Toner Cartridge (5,000 pages) CF411X; HP 410A Yellow LaserJet Toner Cartridge (2,300 pages) CF412A; HP 410X Yellow LaserJet Toner Cartridge (5,000 pages) CF412A; HP 410A Yellow LaserJet Toner Cartridge (5,000 pages) CF412A; HP 410A Yellow LaserJet Toner Cartridge (5,000 pages) CF412A; HP 410A Yellow LaserJet Toner Cartridge (5,000 pages) CF412A; HP 410A Yellow LaserJet Toner Cartridge (5,000 pages) CF412A; HP 410A Yellow LaserJet Toner Cartridge (5,000 pages) CF413A; HP 410X Magenta LaserJet Toner Cartridge (5,000				

Footnotes

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Liclaims;, ² Based on cartridge yields for HP 305X compared with HP 410X Original HP LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/Learnaboutsupplies, ³ Requires an Internet connection to the printer. Services may registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com/go/Learnaboutsupplies, ³ Requires an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit http://www.hp.com/go/webjetadmin, ⁵ Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported, ⁶ HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin, ⁷ Based on HP testing using the ENERGY STAR[®] program⁵ Typical Electricity Consumption (TEC) method or as reported in energystar.gov of top three leading competitors as of 8/2015. Actual results may vary. For details, see http://www.hp.com/go/Liclaims.; ⁸ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/businessmobileprinting; ¹⁰ Feature is supported by the HP Color LaserJet Pro MFP M477fdw and M477fnw. Wobile device, an app or driver may also be required. mobile devices, see http://www.hp.com/go/businessmobileprinting; ¹¹ Feature is only supported by the HP Color LaserJet Pro MFP M477fdw. and M477fnw. Wobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmob

Technical specifications disclaimers

¹ Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the input voltage, system configuration, software application, driver, and document complexity; ² With toner cartridges; ³ Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm;, ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty; ⁵ Printer ships with preinstalled introductory cartridges Cyan, Magenta and Yellow (CMY) (1,200 pages) and Black A (KA) (2,300 pages) with Auto Toner Seal Removal for all cartridges; ⁶ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies. Internet access required. To learn more, visit http://www.hp.com/go/SureSupply;,⁷ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh); ⁶ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups; ⁹ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period, ¹⁰ Based on standard ITU-T test image H1 at standard resolution. More complicated pages or higher resolution will take longer and use more merrory, ¹¹ Windows and Mac support almost the same file types except Mac supports JGP-2000 insteaded of BMP; ¹² HP recommends that the number of scanned pages per month be within the stated range for optimum devic



http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

