ViewBoard IFP7533-G ViewBoard® 75" 4K Interactive Display - ViewSonic Europe

## VIEWBOARD ViewBoard IFP7533-G

## Key Features

Integrated with myViewBoard software


ViewSonic<sup>®</sup>

- Multi-tasking capabilities for enhanced lesson delivery
- Embrace simplicity and organization with the USB-C one-cable solution, offering 65W of Power Delivery.
- Intuitive user interface and fast app launch for smooth operation
- Powered by Android 13



## Product **Description**

The ViewBoard IFP33-G Series harmonizes a touch display with versatile software to create a comprehensive classroom solution for interactive and engaging learning. This interactive flat panel delivers exceptional image quality in 4K UHD, thanks to cutting-edge bonding technology that provides clearer colors, enhanced contrast, and reduced glare. The 40-point touchscreen interface, equipped with Ultra Fine Touch Technology, empowers students and teachers to collaborate seamlessly, using either their fingers or dual-tip pens, for an intuitive pen-on-paper experience. Powerful built-in front-facing speakers and a USB-C port sort out for a complete and convenient multimedia experience. The ViewBoard IFP33-G Series is preinstalled with myViewBoard to offer advanced lesson delivery options for teachers and powerful device management tools for administrators.



ViewBoard IFP7533-G ViewBoard® 75" 4K Interactive Display - ViewSonic Europe

	SPEAKERS	
75"	<sup>/.</sup> 20W x 2	
TFT LCD Module with DLED	TOP CAMERA PLATE	
0	Yes	
1649.664(H) × 927.936(V) (74.6" diagonal)	EMBEDDED OS	
16:9	Android 11 (next 3 OS version upgradable)	
4K UHD 3840x2160(Pixels)	BUNDLE SOFTWARE	
1.07B colors	Basic Annotation Software:	myViewBoard Whiteboard
450 nits	Pro Annotation Software:	myViewBoard for Windows (Embedded in optional Windows Slot-in PC)
5000:1 (Typical)		
6ms	Wireless Presentation:	myViewBoard Display
H=178, V=178	Device Management:	Remote Device Management myViewBoard Manager
50,000 Hours	Wireless Presentation with Touch	
Hardness: 7H, 4mm tempered	Feedback: Viewboard Cast:	Yes
glass, Anti-Glare, Anti-Dust and Anti-Fingerprint	SPECIAL FEATURES	
Technologies		(combine slot-in PC/Android/HDMI USB port)
Landscape	All-in-one USB port:	Front "SmartPort™ USB" to ́
		all channels.
Quad-core ARM Cortex (A55*4) Crocessor:	Simple LAN sharing between IFP and slot-in device:	10/100M for Android & Slot-i PC
GPU: Quad-core ARM Malı G52 (Support 4K UHD)	Light Sensor:	Yes
8GB DDR4	POWER	
128GB	Voltage:	100-240V AC
	Consumption:	On:106W; Off: ≤ 0.5W
(IR) Ultra-Fine Touch	ERGONOMICS	
	Wall Mount (VESA® ):	800x400
touch for windows. Touch		
Accuracy:± 1 mm. Air Gap:0.9 mm		0°C to 40°C 20% ~ 80% RH non-
	Humidity:	condensing
HDMI-IN 2.0 x 3 (3840x2160 @60Hz)	DIMENSIONS (W X H X D)	1709 x 1020 x 88 mm / 67.3
x1	Physical (inch / mm):	40.2 x 3.5 in
x1	Packaging (inch / mm):	1863 x 1140 x 225 mm / 73.3x 44.9 x 8.6 in
x1	WEIGHT	75.52 44.9 2 0.0 11
x1 (Optional Intel Standard		104.3lb/47.3kg
,		-
x1 (Optional VB-WIFI- 002/VB-WIFI-004/VSB050)	( 0,	133.5lb/60.55kg
,		
HDMI 2.0 x1	FCC/ICES003, EPEAT, CE EMC, LVD or CB, RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, EEL, WEEE,	
x1		
x1		
	1. 3m power cord by ship area 2. Remote control with AAA battery 3. 3m touch USB cable 4. Touch pen x 2 (VB-PEN-009) 5 Quick Start Guide + Compliance statement 6. RS232 adapter 7. Clamp x 5 8. Camera Plate 9. Screw x 8 (camera 2+2, wall	
x2 (Gigabyte Ethernet)		
	,	
USB3.0 x4 (Front x2, Rear	COMPATIBLE SLOT-IN PC	
x2); USB2.0 x1	VPC2-O series/VPC2-O-1B series	s/VPC12-WPO-15/16
	NOTE	
Frontx1 (PD65W + DP1.2 +	Other Apps: Live, Record, PIP, Split Screen, Screen Lock	
bata 0582.0 + 10M/100M sharing)		
	Image: Construct of the series of the ser	75" 1. 20W x 2   TFT LCD Module with DLED Backlight. IPS TOP CAMERA PLATE   1849.664(H) × 927.936(V) (74.6" diagonal) Yes   1859 Android 11 (next 3 OS version up)   4K UHD 3840x2160(Pixels) Android 11 (next 3 OS version up)   1.07B colors BuNDLE SOFTWARE   450 nits Pro Annotation Software:   5000:1 (Typical) Wireless Presentation:   6ms Device Management:   450,000 Hours Wireless Presentation:   H=178, V=178 Device Management:   50,000 Hours Wireless Presentation:   Hardness: TH, 4mn tempered glass, Anti-Gire, Anti-Dust and Anti-Fingerprint Technologies Simple LAN sharing between IFP and slot-in device:   Quad-core ARM Cortex (A55'4) Simple LAN sharing between IFP and slot-in device:   Quad-core ARM Cortex (A55'4) Simple LAN sharing between IFP and slot-in device:   Ught Sensor: POWER   Voltage: Consumption:   (R) Ultra-Fine Touch Technology PoWER   Vall Mount (VESA@): OPERATING CONDITIONS   Yat Top Conton VB-WIFI- 002/VE-WIFI-0004/VSB050   wall Mount (VESA@): Presentation ////////////////////////////////////