

GNC-240

GaN Wall Charger 240W

USB-C PD 1x 140W / 1x 100W / 1x 65W, 1x USB-A QC 3.0



Max output power



Charge up to 4 devices



Multi-plug included



Eco friendly packaging

Charge fast, charge more

Verbatim's 240W GaN Wall Charger combines one USB-C PD 140W ports, one USB-C PD 100W port, one USB-C PD 65W port and one USB-A 60W QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more. With its foldable US prongs and replaceable EU and UK plugs, it's the ultimate travel companion.

Gallium Nitride (GaN) technology delivers high-powered, fast, efficient charging, generates less heat and allow to have smaller and lighter chargers, making them ultra-portable and ideal for travel.


The GNC-240 charger is made with high-quality, flame-resistant materials and features four safety protection systems to ensure your safety while charging.

GNC-240

GaN Wall Charger 240W

USB-C PD 1x 140W / 1x 100W / 1x 65W, 1x USB-A QC 3.0

General Information				
Material	PC fireproof			
Colour	Black/Grey			
Input Plug Formats	US (Type A) / EU (Type C) / UK (Type G)			
Supported devices	Laptop, iPhone, iPad, Smartphones, Tablet PCs, MP3/MP4 players, smartwatch, etc.			
Power				
Input	100-240 V AC 50/60Hz 2.8A (Max)			
Total Output	140W Max			
Single Port Output				
USB-C1 PD 3.1	3.3-21V=5A, 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A, 28V=5A (140W Max)			
USB-C2 PD 3.0	3.3-21V=5A, 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=5A (100W Max)			
USB-C3 PD 3.0	3.1-11V=5A, 5V=3A, 9V=3A, 12V=3A, 15V=3A, 20V=3.25A (65W Max)			
USB-A QC 3.0	4.5V=5A, 5V=4.5A, 5V=3A, 9V=3A, 12V=3A, 20V=3A (60W Max)			
Multiport Output	USB-C1 PD 3.1	USB-C2 PD 3.0	USB-C3 PD 3.0	USB-A QC 3.0
USB-C1+USB-C2	140W	100W	-	-
USB-C1+USB-C3	140W	-	65W	-
USB-C1+USB-A	140W	-	-	60W
USB-C2+USB-C3	-	65W	35W	-
USB-C2+USB-A	-	65W	-	30W
USB-C3+USB-A	-	-	12W	12W
USB-C1+USB-C2+USB-C3	140W	65W	35W	-
USB-C1+USB-C2+USB-A	140W	65W	-	30W
USB-C1+USB-C3+USB-A	140W	-	12W	12W
USB-C2+USB-C3+USB-A	-	65W	12W	12W
USB-C1+USB-C2+USB-C3+USB-A	140W	65W	12W	12W



USB-C1 PD 3.1 (PPS) Output:

Max PD 3.1 140W (when used alone)

USB-C2 PD 3.0 (PPS) Output:

Max PD 3.0 100W (when used alone)

USB-C3 PD 3.0 (PPS) Output:

Max PD 3.0 65W (when used alone)

USB-A QC 3.0 Output:

Max 60W (when used alone)



EU
Type C



UK
Type G



US
Type A

GNC-240

GaN Wall Charger 240W

USB-C PD 1x 140W / 1x 100W / 1x 65W, 1x USB-A QC 3.0



Other Features	
Compliance	EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019+A1:2020 EN 61000-3-3:2013+A1:2019+A2:2021 EN IEC 62368-1:2020+A11:2020
ROHS compliance	Yes
Output short circuit protect	On short circuit protection situation, will stop charging to protect devices
Over-voltage protection	Yes
Over-current protection	Yes
Over-temperature protection	Yes

PN	Description	Bar Code	EAN128 Code	EAN14 Code
32205	Verbatim GNC-240 GaN Charger 240W with 1 x USB-C® 140W / 1 x USB-C® 100W / 1 x USB-C® 65W / 1 x USB-A QC 3.0 (EU/UK/US)	023942322054	(02)00023942322054(37)10(91)892 (02)00023942322054(37)20(91)892	20023942322058 50023942322059

Logistic Information	
Product Dimensions L x W x H	90.5 x 36.1 x 65mm
Product Weight	414 grams
Units per Pack	1
Pack Dimensions L x W x H	110 x 47 x 131.5mm
Pack Weight	520 grams (approx)
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	285 x 255 x 131mm
Inner Carton Weight	5 400 grams
Units per Outer Carton	20
Outer Carton Dimensions L x W x H	305 x 280 x 302mm
Master Cartons Weight	11 200
Master Cartons per Layer	9
Layers per Pallet	3
Units per Pallet	540



GNC-240

GaN Wall Charger 240W

USB-C PD 1x 140W / 1x 100W / 1x 65W, 1x USB-A QC 3.0

Verbatim[™]

Technology you can trust



Front



Angled



EU Plug



UK Plug



US Plug



Pack content



Packaging flat



Packaging 3D

Pack Contents:

- GaN Wall Charger
- EU adapter
- UK adapter
- Quick Start Guide

Warning

- INDOOR USE ONLY

For more information, please contact your key account manager

Publication date: 06-11-2023
© 2023 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.