

Category		Description	Footnote
Operating system	1, 2	Windows 11 Pro 64-bit	
CPU and chipset	1	СРИ	
		• 12th Generation Intel [®] Core [™] i9 processor, Intel [®] UHD Graphics 770	
		• 12th Generation Intel [®] Core [™] i7 processor, Intel [®] UHD Graphics 770	
		• 12th Generation Intel [®] Core [™] i5 processor, Intel [®] UHD Graphics 750 / 730	
		• 12th Generation Intel [®] Core [™] i3 processor, Intel [®] UHD Graphics 730	
		• Intel® Pentium® Gold processor, Intel® UHD Graphics 710	
		• Intel® Celeron® processor, Intel® UHD Graphics 710	
		Chipset	
		Intel® B660 Chipset	
Memory	1. 3. 4	32 GB DDR4 3200 MHz UDIMM	
,	., -, .	16 GB DDR4 3200 MHz UDIMM	
		8 GB DDR4 3200 MHz UDIMM	
		4 GB DDR4 3200 MHz UDIMM	
		Up to 128 GB of Dual-channel DDR4 3200 MHz	
Storage	1, 5	Hard disk drive	
		2 TB 3.5-inch 7200 RPM	
		1 TB 3.5-inch 7200 RPM	
		1024 GB M.2 2280 PCI-e Gen4 SSD	
		512 GB M.2 2280 PCI-e Gen4 SSD	
		1024 GB M.2 2280 PCI-e SSD	
		512 GB M.2 2280 PCI-E SSD	
		256 GB M.2 2280 PCI-E SSD	
Optical media drive		 8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready[™] Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, M-Disc/+M 	
		 Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD +RW, 8 cm DVD, M-Disc/+M 	
Graphics	6	NVIDIA® GeForce® GTX 1660 SUPER™ with 6 GB of GDDR6 (supporting:	
		HDMI [®] , DisplayPort [™] , DVI-D)	
		NVIDIA® GeForce® GT 730 with 2 GB of DDR3 (supporting: DVI, HDMI®)	
		NVIDIA [®] GeForce [®] GT 720 with 2 GB of DDR3 (supporting: DVI, HDMI [®])	
Audio		Integrated high-definition, 5.1-channel surround sound	

Veriton M4690G (Win11) Specifications (v2-0-1)				
Communication	WLAN			
	802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth [®] 5			
	802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth [®] 5			
	LAN			
	Gigabit Ethernet			
Input and output	Front/Side I/O connectors			
	Audio jack(s): 1			
	USB 3.2 Gen1 Type A port(s): 3			
	USB 3.2 Gen2 Type A port(s): 1			
	USB 3.2 Gen2 Type C port(s): 1			
	Rear I/O connectors			
	D-Sub port(s): 1			
	HDMI port(s): 1			
	DisplayPort (DP) ports: 2			
	• COM port(s): 1			
	Serial ports on board header (COM2): 1			
	• LAN port(s): 1			
	Audio jack(s): 3			
	• USB 2.0 Type A port(s): 4			
Expansion slot(s)	Number of PCle x16 slot(s): 2			
	Number of PCle x1 slot(s): 1			
	Number of PCI slot(s): 1			
	• M.2 slot (for SSD): 2			
	M.2 slot (for WLAN): 1			
Commercial	TPM v2.0 (Trusted Platform Module)			
features	Intrusion alert (via BIOS)			
	One-button recovery (OBR)			
	WOL (Wake On Lan)			
Commercial	Parallel (printer) port			
selected options	SD card reader module			
	Internal speaker			
Dimensions	175 (W) x 335 (D) x 370 (H) mm (6.89 x 13.19 x 14.57 inches)			
Power supply	Power supply			
and adapter	500 W PFC, auto-sensing, 80PLUS# Gold, ATX			
	400 W single-rail 12 V PFC, auto-sensing, 80PLUS* Gold, TFX			
	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, TFX			
	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Platinum, TFX			
	180 W PFC, auto-sensing, 80PLUS [#] Bronze, TFX			
System	RoHS			
compliance	DMI			
	GS			
	ENERGY STAR®			
	LINEIGIOIAIX			

Veriton M4690G (Win11) Specifications (v2-0-1)				
Options and	Wireless (2.4 GHz RF) keyboard and mouse			
accessories	USB keyboard and mouse			
Certification	CE			
	FCC			
	СВ			

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.

© 2022. All rights reserved.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



Appendix

v2-0-1 (Ver. 2)

Dimensions

[remove]

175 (W) x 305 (D) x 370 (H) mm (6.89 x 12.01 x 14.57 inches)

[add]

175 (W) x 335 (D) x 370 (H) mm (6.89 x 13.19 x 14.57 inches)

System compliance

[remove]

PC2001

About

[add]

© 2022. All rights reserved.

[remove]

© 2021. All rights reserved.