



Veriton S2690G (Win11) Specifications (v3-0-1)			
Category		Description	Footnotes
Operating system	1, 2	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.) Windows 11 Home 64-bit. UEFI Shell	
CPU and chipset	1	CPU <ul style="list-style-type: none"> • 12th Generation Intel® Core™ i7 processor, Intel® UHD Graphics 770 • 12th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 750 / 730 • 12th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 730 • Intel® Celeron® processor, Intel® UHD Graphics 710 • Intel® Pentium® Gold processor, Intel® UHD Graphics 710 Chipset <ul style="list-style-type: none"> • Intel® H610 Chipset 	
Memory	1, 3, 4	16 GB DDR4 3200 MHz UDIMM 8 GB DDR4 3200 MHz UDIMM 4 GB DDR4 3200 MHz UDIMM Up to 64 GB of Dual-channel DDR4 3200 MHz	
Storage	1, 5	Hard disk drive 2 TB 3.5-inch 7200 RPM 1 TB 3.5-inch 7200 RPM 512 GB M.2 2280 PCI-E SSD 256 GB M.2 2280 PCI-E SSD	
Optical media drive		8X Super-Multi drive, 9.0 mm slim, tray-load <ul style="list-style-type: none"> • Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, DVD-RAM • Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD+RW, DVD-RAM, 8 cm DVD 	
Graphics	6	NVIDIA® GeForce® GT 720 with 2 GB of DDR3 (supporting: DVI, HDMI®) NVIDIA® GeForce® GT 730 with 2 GB of DDR3 (supporting: DVI, HDMI®) AMD Radeon™ RX 550, 4 GB GDDR5 (supporting: DVI, HDMI®)	
Audio		Integrated high-definition, 5.1-channel surround sound	
Communication		WLAN 802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5	
Input and output		Front/Side I/O connectors <ul style="list-style-type: none"> • Audio jack(s): 1 • USB 3.2 Gen1 Type A port(s): 4 	

Veriton S2690G (Win11) Specifications (v3-0-1)

	Rear I/O connectors <ul style="list-style-type: none"> • D-Sub port(s): 1 • HDMI port(s): 1 • DisplayPort (DP) ports: 1 • Serial ports on board header (COM2): 1 • LAN port(s): 1 • Audio jack(s): 3 • USB 2.0 Type A port(s): 4 	
Expansion slot(s)	<ul style="list-style-type: none"> • Number of PCIe x16 slot(s): 1 • Number of PCIe x1 slot(s): 1 • M.2 slot (for SSD): 1 • M.2 slot (for WLAN): 1 	
Commercial features	Kensington lock slot TPM v2.0 (Trusted Platform Module)	
Commercial selected options	TPM v2.0 (Trusted Platform Module) Dual-channel memory support Internal speaker	7
Dimensions	160 (W) x 306.32 (D) x 348.00 (H) mm (6.3 x 12.06 x 13.7 inches)	
Power supply and adapter	Power supply 180 W PFC, auto-sensing, 80PLUS [#] Bronze, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, TFX 300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Platinum, TFX	
System compliance	RoHS GS ENERGY STAR [®] PC2001 DMI	
Options and accessories	USB keyboard and mouse Wireless (2.4 GHz RF) keyboard and mouse	
Certification	BSMI CE FCC CB	

1. Specifications vary depending on model.
2. 64-bit software is required to enjoy the advantages of 64-bit processing.
3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
6. Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.

Veriton S2690G (Win11) Specifications (v3-0-1)

7. For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2021. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



Appendix

v2-0-1 (Ver. 2)

Commercial features

[remove]

One-button recovery (OBR)

v3-0-1 (Ver. 3)

Operating system

[add]

Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.)

Windows 11 Home 64-bit.

[remove]

Windows 11 Pro 64-bit

Commercial features

[remove]

Hard drive password protection (via BIOS)