CITIZEN

Two-in-one label and receipt printing

Flexible POS labels



Label and receipt printing.

Supporting both label and receipt printing up to 200mm and 300mm per second in respective modes, the CT-E651L is the perfect solution for applications where printers need to be multifunctional.

Low space requirement

In retail, the compact footprint fits perfectly beneath all-in-one retail systems or alongside a cash drawer - after all it is the same height.

Completely connected

Add to that, Bluetooth™ and WiFi™ interface options for great connectivity.

CT-E651L

POS, Receipt printer (thermal 3 inch / 80mm)

Applications

- Pharmacy
- Retail
- Hospitality



The compact, cubic design makes the CT-E651L one of the most stylish and sleek printers on the market.

TOMORROW'S PRINTING TODAY

CITIZEN



Specifications

The CT-E651L is designed to meet all interfacing needs. USB 2.0 is standard, with LAN, Serial, WiFi and Bluetooth optional depending on user requirements.

| Model | CT-E651L |
|--------------------------------|--|
| Printing Technology | Direct Thermal |
| Resolution | 203 dpi |
| Print Speed (maximum) | 300 mm/sec. |
| Print Width (maximum) | 72 mm |
| Media Width (min to max) | 59 to 80 mm (+/- 0,5 mm) |
| Roll Size (max), Core Size | 83 mm outside diameter |
| Media Thickness (min to max) | 53 to 85 μm |
| Media Sensor | Gap, reflective black mark and paper end |
| Main Interface | USB 2.0 full speed |
| Optional interfaces | Bluetooth with Apple™ MFi compatibility, Premium Wireless LAN, Serial (RS-232C compliant), Compact Wireless LAN, Ethernet, Ethernet + USB host |
| Power supply | 100 – 240V, 50-60 Hz, external power supply (supplied) or 24V DC |
| Reliability | 200 Million pulses or 150 Km, 2 million cuts |
| Control panel | 2 buttons, 5 LEDs |
| Emulations (Languages) | ESC/POS™ |
| Drivers and software | Free-of-charge from website, including support for various platforms |
| Flash (Non-Volatile Memory) | 8MB |
| Size (W x D x H) and Weight | 125 x 170 x 108 mm. 1.26 Kg |
| Cutter | Guillotine type, full and partial |
| | |

CT-E651L

POS, Receipt printer (thermal 3 inch / 80mm)

Features & Benefits

- Paper exit: Front exit, top loading
- Paper load: Quick and easy media changing drop-in paper loading
- Printing Speed: Ultra fast print out of receipts - up to 300mm per seconds , Fast print out - up to 200 mm per second for labels
- Mobile-POS ready
- ENERGY STAR® compliant
- Small footprint



Supports both label and receipt printing.

CITIZEN

| Model | CT-E651L |
|--------------------------|-----------------------------------|
| Warranty | 2 years including head and cutter |
| EMC and safety standards | CE, UL, FCC class A, C-UL, VCCI |

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

CT-E651L

POS, Receipt printer (thermal 3 inch / 80mm)