Fujitsu recommends Windows 10 Pro for business.



Data Sheet FUJITSU Notebook LIFEBOOK E5510

Your Powerful and Modern Business Device

The FUJITSU Notebook LIFEBOOK E5510 is exclusively designed for office workers needing a powerful, fully-equipped notebook. Thanks to the 10th generation Intel® Core™ processor you can work efficiently wherever you are. The advanced security features like PalmSecure™ are protecting your business data against unauthorized access. Modern Standby provides you an instantly ready and always connected notebook.

Modern and robust design

Reliable mobility, ease of use and modern good looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 2.04 kg with a solid design
- Enjoy an ergonomic viewing experience with a 15.6-inch anti-glare FHD display
- Durability is Military Standard MIL-STD-810H tested

Reliable and secure performance

Protect your business data from unauthorized access at all times

- Integrated PalmSecure™ or finger print sensor
- Infrared Camera: Allows face recognition with Windows Hello
- Built-in Privacy Camera Shutter: Protecting your privacy
- SmartCard reader and TPM 2.0

Best in class connectivity

Be flexible and stay productive anywhere, anytime

- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Based on the latest QuadCore Intel processor, enabling data to be processed faster

Convenient serviceability and upgradeability

Easy access to key components reduces upgrade time and costs

■ Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease

Shared port replicator concept

Protect your investments and be ready for shared desk concepts

Shared family port replicator with the LIFEBOOK U7 family ensures ultimate flexibility and workplace sharing













Components

| Base unit | LIFEBOOK E5510 | |
|--|---|--|
| Operating systems | | |
| Operating system pre-installed | Windows 10 Pro | |
| Operating system notes | Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware service through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Ann Channel Support" at http://support.ts.fujitsu.com. | |
| Processor | Intel® Core™ i7-10610U processor (4 Cores / 8 Thread | ds, 1.8 GHz, up to 4.9 GHz) |
| | Intel® Core™ i7-10510U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.9 GHz) * | |
| | Intel® Core™ i5-10310U processor (4 Cores / 8 Threads, 1.7 GHz, up to 4.4 GHz) | |
| | Intel® Core™ i5-10210U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.2 GHz) * | |
| | Intel® Core™ i3-10110U processor (2 Cores / 4 Thread | ds, 2.1 GHz, up to 4.1 GHz) * |
| | *Processor only for retail, SMB, education and gover | nment |
| Memory modules | 4 GB (1 module(s) 4 GB) DDR4, 2,666 MT/s, SO DIMN | 1 |
| | 8 GB (1 module(s) 8 GB) DDR4, 2,666 MT/s, SO DIMM | |
| | 16 GB (1 module(s) 16 GB) DDR4, 2,666 MT/s, SO DIM | ΛМ |
| | 32 GB (1 module(s) 32 GB) DDR4, 2,666 MT/s, SO DIM | ИΜ |
| Hard disk drives (internal) | PCIe-SSD, 512 GB M.2 NVMe module, SED | |
| | PCIe-SSD, 256 GB M.2 NVMe module, SED | |
| | PCIe-SSD, 256 GB M.2 NVMe module | |
| | PCIe-SSD, 1 TB M.2 NVMe module, SED | |
| | HDD SATA III, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. | |
| Hard disk notes | Accessible capacity may vary, also depending on used software. | |
| Interface add on cards/components (optional) | | |
| 3G/4G (optional) | LTE Sierra Wireless EM7421 (Cat.7) (Downlink speed up to 300 Mbit/s, Uplink speed up to 150 Mbit/s) | |
| Display | 39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare o | display, compound, 1,366 x 768 pixel, 500:1, 220 cd/m ² |
| | 39.6 cm (15.6-inch), LED backlight, (Full HD), Anti-glare IPS display, compound, 1,920 x 1,080 pixel, 700:1, 250 cd/m² | |
| Multimedia | | |
| Camera | Built-in webcam (HD) with Status LED | Built-in Infrared webcam (HD) with Status LED |
| Camera notes | 720p, 1 megapixels, 1280 x 720, with Privacy Camera Shutter | |
| Microphone | dual digital array microphone | |

Base unit

| Base unit | LIFEBOOK E5510 |
|-------------------------------|-----------------------------------|
| General system information | |
| Chipset | Integrated |
| Supported capacity RAM (min.) | 4 GB |
| Supported capacity RAM (max.) | 64 GB |
| Memory slots | 2 SO DIMM (DDR4, 2666 MHz) |
| Memory notes | Dual channel support |
| LAN | 10/100/1,000 MBit/s Intel® I219LM |
| Integrated WLAN | Intel WiFi 6 AX201 |

| Accidental damage is not covered up FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m ² | guarantee of future performance under nder standard international limited warr | |
|---|--|--|
| InsydeH2O BIOS On board Realtek ALC255 with MaxxAudio 2x built-in speakers (stereo) Yes, selected MIL-STD-810H tests par MIL-STD-810H test results are not a c Accidental damage is not covered un FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m² | guarantee of future performance under nder standard international limited warr | |
| On board Realtek ALC255 with MaxxAudio 2x built-in speakers (stereo) Yes, selected MIL-STD-810H tests par MIL-STD-810H test results are not a control of the selected and the selected with the | guarantee of future performance under nder standard international limited warr | |
| Realtek ALC255 with MaxxAudio 2x built-in speakers (stereo) Yes, selected MIL-STD-810H tests par MIL-STD-810H test results are not a g Accidental damage is not covered un FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m² | guarantee of future performance under nder standard international limited warr | |
| 2x built-in speakers (stereo) Yes, selected MIL-STD-810H tests par MIL-STD-810H test results are not a g Accidental damage is not covered un FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m² | guarantee of future performance under nder standard international limited warr | |
| Yes, selected MIL-STD-810H tests pas MIL-STD-810H test results are not a g Accidental damage is not covered un FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m² | guarantee of future performance under nder standard international limited warr | |
| MIL-STD-810H test results are not a g Accidental damage is not covered un FHD - Viewing angle: Left/Right 80°, FHD 250 cd/m² | guarantee of future performance under nder standard international limited warr | |
| FHD 250 cd/m ² | T. 000 B 000 C I. C 450/ | |
| FHD 250 cd/m ² | T 000 D 000 C I C . 450/ | |
| | lop 80°, Bottom 80°; Color Gamut: 45%, | response time 25 ms |
| EUG =444 | FHD 250 cd/m ² | |
| FHD - 700:1 | | |
| LIFEBOOK E5510 | | |
| up to 4,096 x 2,160 | | |
| up to 4,096 x 2,160 | | |
| up to 1,920 x 1,200 | | |
| Intel® UHD Graphics | | |
| 3 Display Support DirectX® 12 OpenGL® 4.5 | | |
| Shared memory depending on main memory size and operating system | | |
| | | |
| 1 | | |
| 1 (combo port with Audio line-in) | | |
| · | | |
| | | |
| | | |
| | | |
| 1 | · | |
| | | |
| | | |
| | | |
| 1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s) | | |
| 1 (optional) | | |
| 1 (Micro-SIM, only for models with integrated 4G/LTE module) | | |
| 1 | | |
| 1 | | |
| | | |
| Model: NPR46 (mech. PR) | USB Type-C PR | USB Type-C PR |
| 1 (19V/90W required) | 1 (19V/90W required) | 1 (19V/90W required) |
| 1 | 1 | 1 |
| 1 | | |
| 1 | | |
| | 1 Combo jack for headset usage | 1 Combo jack for headset usage |
| 4x Type-A 2x Type-C | | |
| 2 (up to 2x 3840x2160 60Hz) | 1 (up to 2560 x 1600) | 1 (up to 2560 x 1600) |
| 1 (up to 1920x1200 6Hz) | 1 up to 1920×1200 @ 60Hz depending on FJ mobile client | 1 up to 1920×1200 @ 60Hz depending on FJ mobile client |
| | FHD 250 cd/m² FHD - 700:1 LIFEBOOK E5510 up to 4,096 x 2,160 up to 1,920 x 1,200 Intel® UHD Graphics 3 Display Support DirectX® 12 OpenGL® 4.5 Shared memory depending on main 1 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (option 2x Type-A (1 with Anytime USB charged to the state of the st | EHD - 700:1 LIFEBOOK E5510 up to 4,096 x 2,160 up to 4,096 x 2,160 up to 1,920 x 1,200 Intel® UHD Graphics 3 Display Support DirectX® 12 OpenGL® 4.5 Shared memory depending on main memory size and operating system 1 (combo port with Audio line-in) 1 (combo port with Audio line-out) 2x digital array microphones (optional) 2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (Display-Port Tunnel & Power Delivery) 1 1 1 v1.2 (cannot be used together with HDMI) 1 v1.4b (cannot be used together with DisplayPort) 1 (with status LED) 1 SD 3.0 Standard SD/microSDHC card: 2GB SDXC/microSDHC card: 2TB Speed Class: up to UHS-I (104MB/s) 1 (optional) 1 (Micro-SIM, only for models with integrated 4G/LTE module) 1 1 Model: NPR46 (mech. PR) 1 (19V/90W required) 1 1 1 1 1 Combo jack for headset usage 4x Type-A 2x Type-C 2 (up to 2x 3840x2160 60Hz) 1 up to 1920x1200 @ 60Hz |

| Port Replicator interfaces (optional) | | | |
|---------------------------------------|---|---|---|
| DVI | 1 (up to 1920x1200 60Hz) | | |
| HDMI text | | 1 | 1 |
| Interface Notes | | 3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input | 3x Type-A - 5V/0.9A, 4.5W 1x Type-C - 15W 1x Type-C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input |
| Kensington Lock support | 1 (Portrep only, Portrep option with key lock to secure Portrep & System) | no | no |
| Ethernet (RJ-45) | | | 1 |
| Notes | 1 RJ45 (10/100/1000) | 1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen | 1 RJ45 (10/100/1000) WoL from S3 state WOL from S4 / S5 / G3 depending on Fujitsu mobile client Launch of PXE for dedicated FJ mobile clients Set the MAC address by the user MAPT from 9th gen |
| Keyboard and pointing devices | | | |
| | Keyboard w/o touchstick (spill-resista | nt), Keyboard w/ touchstick, Backlight ke | eyboard w/o touchstick |
| | | pard pitch: 18.4 mm, Keyboard stroke: 1.7 | • |
| | Multi gesture touchpad with two mod Status LED Power Button | use buttons | |
| Wireless technologies | | | |
| Antennas | 2 Dual band WLAN antennas, 2 LTE an | itennas optional | |
| Bluetooth | v5.0 | | |
| Integrated WLAN | Intel WiFi 6 AX201 | | |
| WLAN encryption | WPA/WPA2 (Wi-Fi Protected Access) | | |
| WLAN notes | Import and usage according to country-specific regulations. | | |
| Integrated LTE or UMTS | LTE Sierra Wireless EM7455 (cat.6) LTE Sierra Wireless EM7421 (cat.7) | | |
| GPS | Embedded in 4G module if configured with WWAN | | |
| Power supply | | | |
| AC Adapter | 19 V / 90 W (4.74 A), 100 V - 240 V, 50 F | Hz - 60 Hz, 3-pin (grounded) DC-in AC-Ad | dapter (for PR) |
| AC Adapter | 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) DC-in AC-Adapter | | |
| Notes | 65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator | | Replicator |
| 1st battery | Lithium polymer battery 4-cell, 50 Wh | | |
| Battery features | Quick Charge: 80% in 1h | | |
| Runtime 1st battery | up to 9 h 50 min | | |
| Battery notes | Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2018. Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime. | | |
| Noise emission | | | |
| Noise emission | Please refer to the Eco Declaration | | |
| Dimensions / Weight / Environmental | | | |
| Dimensions (W x D x H) | 379 x 256 x 23.9 mm | | |
| | 14.92 x 10.08 x 0.94 inch | | |
| Weight | from 2.04 kg | | |
| Weight (lbs) | from 4.49 lbs | <u> </u> | |
| Weight notes | Weight may vary depending on actual configuration | | |
| Operating ambient temperature | 5 - 35 °C (41 - 95 °F) | | |

| LIFEBOOK E5510 5E15A1 GS (Full HD Display only) CE CB FCC (depending on configuration) (planned) RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT* Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR* 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee* LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu Function Manager Fujitsu Function Manager |
|---|
| SE15A1 GS (Full HD Display only) CE CB CB FCC (depending on configuration) (planned) RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates MCAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| SE15A1 GS (Full HD Display only) CE CB CB FCC (depending on configuration) (planned) RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates MCAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| GS (Full HD Display only) CE CB FCC (depending on configuration) (planned) ROHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT* Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR* 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee* LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager |
| CE CB FCC (depending on configuration) (planned) RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates MCAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager |
| FCC (depending on configuration) (planned) RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Battery Utility Fujitsu Battery Utility Fujitsu Function Manager |
| RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Silver (dedicated regions), depending on configuration TCO Certified 8.0 (depending on configuration) ENERGY STAR® 8.0 MIL-STD-810H tested BIS EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| EAC CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| CCC (depending on configuration) https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial preinstalled) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| https://sp.ts.fujitsu.com/sites/certificates McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager |
| rajitsa besitopaate (arriver aria atiiity toor) |
| Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.) |
| |
| DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology |
| DeskView Client DeskView Instant BIOS Management |
| Inventory Management BIOS Management Driver Management Security Management Alarm Management |
| WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you) |
| |

| Security | |
|--------------------------|--|
| System and BIOS Security | EraseDisk |
| | Trusted Platform Module (TPM 2.0) |
| User Security | Embedded PalmSecure™ sensor (optional) |
| | Embedded fingerprint sensor (optional) |
| | Access protection via internal SmartCard reader (optional) |
| | Hard disk password |
| | User and supervisor BIOS password |

| Warranty | |
|--|--|
| Warranty period | 1 year (for countries in EMEIA) |
| Warranty type | Bring-in Service / Collect & Return Service (depending on country) |
| Warranty Terms & Conditions Product Support Services - the perfe | http://www.fujitsu.com/warranty ect extension |
| Recommended Service | 9x5, Onsite Response Time: Next Business Day |
| Spare Parts availability | 5 years after end of product life |
| Service Weblink | http://www.fujitsu.com/emeia/products/product-support-services/ |

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5 family with key lock (2020)



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1607-L219

USB Type-C Port Replicator 2



Connect to your peripherals. Adapt to the task on demand. The universal USB Type-C connection helps you to get your peripheral devices connected easily. Enhance your USB connection options, connect your displays via HDMI, DisplayPort or VGA and charge your device without an additional charger.

Order Code: S26391-F3327-L100

Weight: 334 g, Dimensions: 219 x 75 x 22.9 mm (front) – 26.0 mm (back), including 90 W AC adapter and Type-C cable

USB Port Replicator PR09



The new FUJITSU USB Port Replicator PR09 is the perfect solution for shared desk environments within a hyperconnected world. It connects your mobile system to your main peripherals with a single USB plug. This Port Replicator is equipped with the most powerful DisplayLink chipset supporting high performance video streaming with Dualhead-DisplayPort. Highest data throughput is guaranteed due to an USB Type-C based Gen2 Hub-Controller enabling up to 10 Gbit/s data streaming. The newest version of USB Power Delivery chipset (PD3.0) provides powerful charging during your workday.

Order Code: S26391-F6007-L500

Battery 4 cell 50 Wh



The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code: S26391-F1616-L100 USB-C Hub 4 Ports



Connecting all of your USB peripherals is quick and easy with the USB-C Hub 4 Ports from Fujitsu. SuperSpeed USB Type-C makes data transfer to and from external storage faster than ever. The hub dynamically selects the optimal speed for each device, giving you more bandwidth where you need it automatically. The USB-C Hub 4 Ports if fit for both Office and Industry applications, additionally including a 7-48 VDC with "Phoenix" clamp (+/-/GND).

Order Code: S26391-F6099-L404

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code: S26391-F6098-L215

Prestige Top Case 15 (2021)



The Prestige Top Case 15 protects notebooks with up to 15.6-inch screens. Order Code: A padded top-loading notebook compartment made of shock-absorbing foam ensures additional protection. It's front pouch is ideal for storing of power adaptors, office supplies or personal items. It is the perfect business case in a practical design.

S26391-F1120-L50

Prestige Case 15 (2021)



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The Order Code: front compartment provides space for your power cord and office supplies. S26391-F1120-L60 The large compartment is devided for your notebook and a tablet.

More information

Fujitsu products, solutions & services

In addition to FUJITSU LIFEBOOK E5510, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E5510, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/products/ computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2021 Fujitsu Technology Solutions

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2021-10-06 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2021 Fujitsu Technology Solutions GmbH