CC643 Series[Y]-SDS_UK-EU English-08.pdf

CC643 Series[C]-SDS_UK-EU English-01.pdf

CC643 Series[M]-SDS_UK-EU English-01.pdf



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CC643 Series[Y]

Use of the

Substance/Preparation

Inkjet printing

Version #

05

Revision date

11-Nov-2011

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Metal nitrate #2

Contact with skin may result in irritation. Substituted napthalenesulfonate salt #13 Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Metal nitrate #2

Contact with eyes may result in irritation. Substituted napthalenesulfonate salt #13 Contact with eyes may result in irritation.

Inhalation

Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation. Substituted napthalenesulfonate salt #13 Inhalation may result in respiratory irritation.

Ingestion

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Material name: CC643 Series[Y] SDS UK **Potential health effects**

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This yellow ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1,5-pentanediol	111-29-5	< 15	203-854-4	
Aliphatic diol	Proprietary	< 15	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Substituted napthalenesulfonate salt #13	Proprietary	< 7.5	Proprietary	
Water	7732-18-5	> 60	231-791-2	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

CO2, water, dry chemical, or foam

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

None known.

Specific methods Hazardous combustion None established.

Refer to section 10.

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Other information

Soak up with inert absorbent material.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

Material name: CC643 Series[Y]

9660 Version #: 05 Revision date: 10-Nov-2011 Print Date: 11-Nov-2011

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional exposure data Exposure limits have not been established for this product.

Exposure controls Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Not available. **Appearance**

Physical state Liquid **Form** liauid Color Yellow

Not available. Odor **Odour threshold** Not available. 7.2 - 7.4

Boiling point Not determined

> 93.3 °C (> 200 °F) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined **Relative density** Not available. Solubility (water) Soluble in water Not available **Partition coefficient**

(n-octanol/water)

Viscosity

2 cp

Vapor density Not available. **Evaporation rate** Not determined Not available. **Melting point** Not available. Freezing point **Auto-ignition temperature** Not determined

Specific gravity 1 - 1.2 VOC < 241 g/l

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons. Stable under recommended storage conditions.

Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicological information

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

Serious eye damage/eye

irritation

Stability

Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =434 mg/L

> Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Material name: CC643 Series[Y] SDS UK

13. DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORT INFORMATION

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

1,5-pentanediol, Aliphatic diol, Metal nitrate #2, Substituted napthalenesulfonate salt #13, Water **Contains**

EC Label This product does not require a label according to EU Directive 1999/45/EC.

S2 Keep out of the reach of children. S-phrase(s)

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

Other information

Disclaimer

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 11-Nov-2011

This data sheet contains changes from the previous version in section(s):

PHYSICAL AND CHEMICAL PROPERTIES: Other information

TRANSPORT INFORMATION: Further information REGULATORY INFORMATION: Other information

Manufacturer information Hewlett-Packard Company 3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CC643 Series[Y] SDS UK

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC643 Series[Y]



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CC643 Series[C]

Use of the

Substance/Preparation

Inkjet printing

Version #

01

Revision date

09-Nov-2011

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone

Contact with skin may result in irritation.

1,5-pentanediol

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation. Copper phthalocyanine direct dye salt Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact 1-(2-hydroxyethyl)-2-pyrrolidone

Contact with eyes may result in irritation.

1.5-pentanediol

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation. Copper phthalocyanine direct dye salt Contact with eyes may result in irritation.

Risk of serious damage to eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Material name: CC643 Series[C]

Inhalation 1-(2-hydroxyethyl)-2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.

Ingestion 1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification Not classified.

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Not classified as an environmental hazard.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 5	222-359-4	
1,5-pentanediol	111-29-5	< 7.5	203-854-4	
Aliphatic diol	Proprietary	< 5	Proprietary	
Copper phthalocyanine direct dye salt	Proprietary	< 5	Proprietary	Xi;R41, R52/53
Ethyl alkyldiol	Proprietary	< 10	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Water	7732-18-5	> 65	231-791-2	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety reasons

None known.

Unusual fire & explosion

hazards

None known.

Specific methods None established.

Material name: CC643 Series[C] SDS UK 11666 Version #: 01 Revision date: 09-Nov-2011 Print Date: 09-Nov-2011

Hazardous combustion products

Refer to section 10.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDI ING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits have not been established for this product. Additional exposure data

Exposure controls Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid. **Physical state** Liquid

Form Not available.

Color Cyan

Odor Not available. **Odour threshold** Not available. 7 - 7.5 pН

Boiling point Not determined

> 93.3 °C (> 200 °F) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Relative density Not available. Solubility (water) Soluble in water Not available **Partition coefficient**

(n-octanol/water)

Not available. Viscosity Not available. Vapor density

Evaporation rate Not determined Not available. **Melting point** Freezing point Not available. **Auto-ignition temperature** Not determined Specific gravity Not determined VOC < 307 g/I

10. STABILITY AND REACTIVITY

Hazardous decomposition

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

Stability Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

Material name: CC643 Series[C] SDS UK 11666 Version #: 01 Revision date: 09-Nov-2011 Print Date: 09-Nov-2011

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Further information

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Ecotoxicity EC50: > 100 mg/l, Algae, 72.00 hr

EC50: > 100 mg/l, Daphnia, 48.00 hr

NOEC: 100 mg/l, Algae, 72.00 hr

Information given is based on data on the components and the ecotoxicology of similar products

Aquatic toxicity Not established

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1-(2-hydroxyethyl)-2-pyrrolidone, 1,5-pentanediol, Aliphatic diol, Copper phthalocyanine direct dye

salt, Ethyl alkyldiol, Metal nitrate #2, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

S-phrase(s) S2 Keep out of the reach of children.

Regulatory informationAll chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire. R36/37/38 Irritating to eyes, respiratory system and skin.

R41 Risk of serious damage to eyes.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 09-Nov-2011

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CC643 Series[C]

11666 Version #: 01 Revision date: 09-Nov-2011 Print Date: 09-Nov-2011

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC643 Series[C]



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

preparation

CC643 Series[M]

Use of the

Substance/Preparation

Inkjet printing

Version #

01

Revision date

10-Nov-2011

CAS#

Mixture

Company identification

Hewlett-Packard, Ltd. Cain Road, Amen Corner Bracknell, Berkshire, RG12 1HN Telephone 1 344 36-0000

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Poison Information Center 0207771 5307

2. HAZARDS IDENTIFICATION

Emergency Overview

Contact with skin and eyes may result in irritation.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Causes skin irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Anthraquinone acid dye salt

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate #2

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Anthraquinone acid dye salt

Contact with eyes may cause irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate #2

Contact with eyes may result in irritation.

Material name: CC643 Series[M] SDS UK 1/5

MIgrated from Geo Version #: 01 Revision date: 09-Nov-2011 Print Date: 10-Nov-2011

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate #2

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Metal nitrate #2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Other information This blue ink is not classified according to EU Directive 1999/45/EC.

Classification R52/53

Physical hazards Not classified as a physical hazard. **Health hazards** Not classified as a health hazard.

Environmental hazards Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
1,5-pentanediol	111-29-5	< 5	203-854-4	
2-pyrrolidone	616-45-5	< 5	210-483-1	Xi;R36/38
Aliphatic diol	Proprietary	< 15	Proprietary	
Anthraquinone acid dye salt	Proprietary	< 7.8	Proprietary	
Ethyl alkyldiol	Proprietary	< 5	Proprietary	
Metal nitrate #2	Proprietary	< 5	Proprietary	O;R8, Xi;R36/37/38
Water	7732-18-5	> 65	231-791-2	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and

1999/45/EC, as amended.

For the full text of the R phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Extinguishing media which must not be used for safety None known.

reasons

Unusual fire & explosion

hazards

None known.

None established. Specific methods

Material name: CC643 Series[M]

Hazardous combustion

Refer to section 10.

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Containment procedures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDI ING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits have not been established for this product. Additional exposure data

Exposure controls Use in a well ventilated area.

Occupational exposure controls

General Use personal protective equipment to minimize exposure to skin and eye. **Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid. **Physical state** Liquid **Form** Not available. Color Magenta Odor Not available. **Odour threshold** Not available.

7 - 7.5 pН

Boiling point Not determined

93.3 °C (200 °F) Pensky-Martens Closed Cup Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Relative density Not available. Solubility (water) Soluble in water Not available **Partition coefficient**

(n-octanol/water)

Not available. Viscosity Not available. Vapor density **Evaporation rate** Not determined Not available. **Melting point** Freezing point Not available. **Auto-ignition temperature** Not determined Specific gravity Not determined VOC $< 315 \, q/l$

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

Stability Stable under recommended storage conditions. Materials to avoid Incompatible with strong bases and oxidizing agents.

Hazardous polymerization Will not occur.

Material name: CC643 Series[M] SDS UK MIgrated from Geo Version #: 01 Revision date: 09-Nov-2011 Print Date: 10-Nov-2011

11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye

irritation

Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aide measures.

12. ECOLOGICAL INFORMATION

Ecotoxicity This product has not been tested for ecological effects.

Aquatic toxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

14. TRANSPORT INFORMATION

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Labeling

Contains 1,5-pentanediol, Aliphatic diol, Anthraquinone acid dye salt, Ethyl alkyldiol, Metal nitrate #2, Water

EC Label This product does not require a label according to EU Directive 1999/45/EC.

R-phrase(s) R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. OTHER INFORMATION

Wording of the R-phrases in

sections 2 and 3

R8 Contact with combustible material may cause fire.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Disclaimer

Issue date

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries. 10-Nov-2011

Manufacturer information

Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CC643 Series[M]

MIgrated from Geo Version #: 01 Revision date: 09-Nov-2011 Print Date: 10-Nov-2011

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-term exposure limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC643 Series[M]